PhysioSuite®



Temperature Monitor and Homeothermic Control Module / RightTemp®

Resistance 2,252 ohm Tolerance +/- 0.2° C 25°C to 45°C Accuracy Operating Temp. -40°C to 80°C

Sensor Diameter Ball Tip Diameter: 1.65 mm max Shaft: 1.5 mm

Time Constant 10.0 seconds 0.75 m/W (° C) Dissipation Constant

Pulse Oximeter and Heart Rate Monitor Module / MouseSTAT®

Heart Rate Up to 900 bpm

1% Resolution

70 to 100% SpO, Range 5, Programmable

Data Export

Soft Touch Paw Sensors (standard) SpO₂ Sensors

Large Animal Clip Sensors

Pup Sensors

MRI Sensors

End-Tidal CO₂ Monitor Module / CapnoScan®

Transducer Type Sidestream Sensor Sample Rate 50 mL/min. +/- 10mL/min. Initialization Time < 15 seconds

0 to 16%, 0 to 120 mmHg

Measurement Range

Rise Time < 60 ms

Resolution 01 mmHa 0 to 69 mmHg 70 to 150 mmHg 0.25 mmHg

Accuracy 0 to 150 mmHg, 32 mmHg

*Our clinical department will be pleased to review your study protocol to confirm that our product will meet your specific study requirements.



More innovative products for your research:

SurgiSuite

Surgical platforms



Far Infrared Warming Controller & Pad, LED Lighting and Magnification Kit

MouseSTAT® Jr.

Hand held pulse oximeter for mice and rats



RoVent® Jr.

Basic automated ventilator is ideal for mice, rats and small animals up to 1,250g



Intubation Stands

Intubate mice and rats while delivering isoflurane



1-Year, 100% Parts & Labor Warranty (3-Year extended warranty available) Visit our website for additional product information.

Choose your PhysioSuite:

888.572.8887 kentscientific.com/physiosuite



1116 Litchfield Street Torrington, CT 06790




PhysioSuite®

Multi-physiological monitor with warming, temperature control












PhysioSuite Modules

The PhysioSuite Modular System includes an integrated touch screen display, real-time recordings and 5 safety alarms. Internal memory provides data storage, with a mini USB for data output. The PhysioSuite is compatible with stereotaxic devices.


The PhysioSuite is essentially a box that you fill with the modules your research requires. Each module is a separate component that provides a specific function: warming, pulse oximetry and CO2 monitoring. Combine the modules you need now and add additional modules later as your research demands.



What Your Colleagues Are Saying...

"The MouseSTAT pulse oximeter works very well, you literally place the sensor on the paw and it reads better than any rodent monitoring systems that I have looked into."

- Lead Researcher, US Pharmaceutical Lab



RightTemp® Temperature monitor and homeothermic control module




MouseSTAT® Pulse oximeter and heart rate monitor module



- Engineered for mice and rats
- Accurately measures heart rates up to 900 bpm
- Soft touch paw sensors
- Reduces pressure to maintain unrestricted blood flow
- Modular capability
- Temperature and end-tidal CO2 monitoring modules
- Respiratory rate option available
- Measures breaths per minute



Pulse Oximeter Sensors, MRI Compatible Sensors Available



CapnoScan® CO2 monitor module

- Highly sensitive infrared spectroscopy CO₂ sensor
- Delivers clear, accurate capnogram
- Monitors end-tidal CO₂ measurements
- Low sampling rates
- Ideal for mice and rats
- Compensates for temperature, pressure and gas type
- Allows for accurate measurements



Sampling Unit

